

Atleon CELICA 15208-43G00 15208-7F400 15208-G9903 15208-W3401 AY100-NS009 Oil Filter

Basic Information

- Place of Origin: Guangdong, China
- Brand Name: MASUMA
- Minimum Order Quantity: 2 pieces
- Price: Negotiation
- Packaging Details: carton



Product Specification

- **Model:** PICK UP (D21), PICK UP (D22), Atleon, ECO-T, L-Serie, Levend
- **Year:** 1988-, 2000-, 1997-, 1995-2000, 1997-2000, 1985-1998, 1985-2020
- **Engine:** 100, 3.0 GDM, 3.0 MDV, MDH, 3.0 MDC, 3.0 MDS, 3.0 MDT, XL, XLC, 110.56, 120.56, 120.56, 50.13, 120.45, 110.35, 120.35, 56.13, 35.13, 35.085, 135.8, 100.45, 100.35, 135.7, 100.56, 135.6, 135.75, 2.5 D 4WD, 2.5 TD 4WD
- **OE NO.:** 15208-43G00, 15208-43G0A, 15208-7F400, 15208-7F40A, 15208-G9903, 15208-W3401, 5-86102-409-0, 5-86122-894-0, AY100-NS009, AY100-NS010
- **Car Fitment:** Bmc, Nissan
- **Reference NO.:** LI 9120/81, W 940/23, J FO-101, MOF 62 X, AP 3556, 9 000 022 173, 9 000 022 172, VFL220, P 3357, WGL 3314, P 2005, WL7115, J FO-101S, PH-5491, AP 3214 A, PH-2850, LI 9144/23, A740 X 6714 AA, VFL



More Images



Vehicle	Brand	Car model	Engine number	Year	Condition
VF-001	Volvo	S40	2400	1999	Good
VF-002	Volvo	S40	2400	1999	Good
VF-003	Volvo	S40	2400	1999	Good
VF-004	Volvo	S40	2400	1999	Good
VF-005	Volvo	S40	2400	1999	Good
VF-006	Volvo	S40	2400	1999	Good
VF-007	Volvo	S40	2400	1999	Good
VF-008	Volvo	S40	2400	1999	Good
VF-009	Volvo	S40	2400	1999	Good
VF-010	Volvo	S40	2400	1999	Good
VF-011	Volvo	S40	2400	1999	Good
VF-012	Volvo	S40	2400	1999	Good
VF-013	Volvo	S40	2400	1999	Good
VF-014	Volvo	S40	2400	1999	Good
VF-015	Volvo	S40	2400	1999	Good
VF-016	Volvo	S40	2400	1999	Good
VF-017	Volvo	S40	2400	1999	Good
VF-018	Volvo	S40	2400	1999	Good
VF-019	Volvo	S40	2400	1999	Good
VF-020	Volvo	S40	2400	1999	Good
VF-021	Volvo	S40	2400	1999	Good
VF-022	Volvo	S40	2400	1999	Good
VF-023	Volvo	S40	2400	1999	Good
VF-024	Volvo	S40	2400	1999	Good
VF-025	Volvo	S40	2400	1999	Good
VF-026	Volvo	S40	2400	1999	Good
VF-027	Volvo	S40	2400	1999	Good
VF-028	Volvo	S40	2400	1999	Good
VF-029	Volvo	S40	2400	1999	Good
VF-030	Volvo	S40	2400	1999	Good
VF-031	Volvo	S40	2400	1999	Good
VF-032	Volvo	S40	2400	1999	Good
VF-033	Volvo	S40	2400	1999	Good
VF-034	Volvo	S40	2400	1999	Good
VF-035	Volvo	S40	2400	1999	Good
VF-036	Volvo	S40	2400	1999	Good
VF-037	Volvo	S40	2400	1999	Good
VF-038	Volvo	S40	2400	1999	Good
VF-039	Volvo	S40	2400	1999	Good
VF-040	Volvo	S40	2400	1999	Good
VF-041	Volvo	S40	2400	1999	Good
VF-042	Volvo	S40	2400	1999	Good
VF-043	Volvo	S40	2400	1999	Good
VF-044	Volvo	S40	2400	1999	Good
VF-045	Volvo	S40	2400	1999	Good
VF-046	Volvo	S40	2400	1999	Good
VF-047	Volvo	S40	2400	1999	Good
VF-048	Volvo	S40	2400	1999	Good
VF-049	Volvo	S40	2400	1999	Good
VF-050	Volvo	S40	2400	1999	Good
VF-051	Volvo	S40	2400	1999	Good
VF-052	Volvo	S40	2400	1999	Good
VF-053	Volvo	S40	2400	1999	Good
VF-054	Volvo	S40	2400	1999	Good
VF-055	Volvo	S40	2400	1999	Good
VF-056	Volvo	S40	2400	1999	Good
VF-057	Volvo	S40	2400	1999	Good
VF-058	Volvo	S40	2400	1999	Good
VF-059	Volvo	S40	2400	1999	Good
VF-060	Volvo	S40	2400	1999	Good
VF-061	Volvo	S40	2400	1999	Good
VF-062	Volvo	S40	2400	1999	Good
VF-063	Volvo	S40	2400	1999	Good
VF-064	Volvo	S40	2400	1999	Good
VF-065	Volvo	S40	2400	1999	Good
VF-066	Volvo	S40	2400	1999	Good
VF-067	Volvo	S40	2400	1999	Good
VF-068	Volvo	S40	2400	1999	Good
VF-069	Volvo	S40	2400	1999	Good
VF-070	Volvo	S40	2400	1999	Good
VF-071	Volvo	S40	2400	1999	Good
VF-072	Volvo	S40	2400	1999	Good
VF-073	Volvo	S40	2400	1999	Good
VF-074	Volvo	S40	2400	1999	Good
VF-075	Volvo	S40	2400	1999	Good
VF-076	Volvo	S40	2400	1999	Good
VF-077	Volvo	S40	2400	1999	Good
VF-078	Volvo	S40	2400	1999	Good
VF-079	Volvo	S40	2400	1999	Good
VF-080	Volvo	S40	2400	1999	Good
VF-081	Volvo	S40	2400	1999	Good
VF-082	Volvo	S40	2400	1999	Good
VF-083	Volvo	S40	2400	1999	Good
VF-084	Volvo	S40	2400	1999	Good
VF-085	Volvo	S40	2400	1999	Good
VF-086	Volvo	S40	2400	1999	Good
VF-087	Volvo	S40	2400	1999	Good
VF-088	Volvo	S40	2400	1999	Good
VF-089	Volvo	S40	2400	1999	Good
VF-090	Volvo	S40	2400	1999	Good
VF-091	Volvo	S40	2400	1999	Good
VF-092	Volvo	S40	2400	1999	Good
VF-093	Volvo	S40	2400	1999	Good
VF-094	Volvo	S40	2400	1999	Good
VF-095	Volvo	S40	2400	1999	Good
VF-096	Volvo	S40	2400	1999	Good
VF-097	Volvo	S40	2400	1999	Good
VF-098	Volvo	S40	2400	1999	Good
VF-099	Volvo	S40	2400	1999	Good
VF-100	Volvo	S40	2400	1999	Good

Contact Supplier send an enquiry to confirm suitable car



Product Description



Product Description

MASUMA No. MFC-1233

Part Name Oil filter

OEM No. 15208-43G00,15208-43G0A,15208-7F400,15208-7F40A,15208-G9903,15208-W3401,5-86102-409-0,5-86122-894-0,AY100-NS009,AY100-NS010

Maintenance 1 month warranty

In stock In stock

Masuma Oil Filters are manufactured to exacting OEM filter factory specifications. The filter element is a folded paper block with a high packing density. The design of the filter includes two important valves: anti-drain (reverse), which protects the motor from oil starvation at start-up, and bypass (bypass), which provides oil directly if it is impossible to pump it through the filter. Masuma oil filters provide complete oil cleaning from solid particles, sludge and wear products that are dangerous for rubbing engine parts. Masuma is a global brand of auto parts, components and consumables. The main specialization of the brand: resource parts for post-warranty service of Japanese cars. The company's strategy is to offer consumers the best ratio of reliability and cost of spare parts. All products are manufactured to order, technology and under the control of the parent company Masuma Auto Spare Parts Co., LTD (Tokyo, Japan) at dozens of modern factories located in East Asia.

SUITABLE FOR CAR MODELS DETAILS

MASUMA	Brand	Car model	Chassis number	Year	Configuration
MFC-1233	ISUZU	FARGO	JKRGE24	1995-1999	JKRGE24. TD27ETi. TURBO. 2WD
MFC-1233	ISUZU	FARGO	JVRMGE24	1995-1997	JVRMGE24. TD27. 4WD
MFC-1233	ISUZU	FARGO	JVWMGE24	1996-2001	JVWMGE24. QD32. 4WD
MFC-1233	ISUZU	FARGO	JCRGE24	1995-1997	JCRGE24. TD27. 2WD
MFC-1233	ISUZU	FARGO	JCRGE24	1996-1997	JCRGE24. TD27. 2WD
MFC-1233	ISUZU	FARGO	JCWGE24	1996-2001	JCWGE24. QD32. 2WD
MFC-1233	ISUZU	FARGO	JDRGE24	1996-1997	JDRGE24. TD27. 2WD
MFC-1233	ISUZU	FARGO	JKRGE24	1995-1999	JKRGE24. TD27. 2WD
MFC-1233	ISUZU	FARGO	JVRGE24	1995-1997	JVRGE24. TD27. 2WD
MFC-1233	ISUZU	FARGO	JVWGE24	1996-2001	JVWGE24. QD32. 2WD
MFC-1233	ISUZU	FARGO	JVWME24	1997-2001	JVWME24. QD32. 4WD
MFC-1233	ISUZU	FARGO	JVRE24	1995-1997	JVRE24. TD27. 2WD
MFC-1233	ISUZU	FARGO	JVWE24	1996-1997	JVWE24. QD32. 2WD
MFC-1233	ISUZU	FARGO	JVWE24	1996-2001	JVWE24. QD32. 2WD
MFC-1233	ISUZU	ELF	ASP2F23	1999-2020	ASP2F23. 2WD
MFC-1233	ISUZU	ELF	ASP8F23	1995-1997	ASP8F23. 2WD
MFC-1233	ISUZU	ELF	ASR2F23	1997-2004	ASR2F23. 2WD
MFC-1233	ISUZU	ELF	ASR4F23	1997-2004	ASR4F23. 2WD
MFC-1233	ISUZU	ELF	ASR8F23	1997-2004	ASR8F23. 2WD
MFC-1233	ISUZU	ELF	ASN2F	1995-1999	ASN2F. 2WD
MFC-1233	ISUZU	ELF	ASN6F	1995-2020	ASN6F. 2WD
MFC-1233	NISSAN	TERRANO 2	B26. 3700cc. 3D. TD27E	1996-1998	TD27E. B26. 3700cc. 3D. TD27E. Turbo. 4WD


Contact Supplier send an enquiry to
confirm suitable car

MFC-1233

MASUMA



MASUMA LUBE SPIN-ON FILTER (SCHEMATIC DIAGRAM)



MASUMA

AUTO SPARE PARTS

— FILTER —



PREMIUM AUTO PARTS SOURCE FACTORY

100000+
OE Numbers

22 Years
Experience

MASUMA has 103 kinds of auto parts products, spark plugs, brake pads, and fuel pumps, etc., and we have products suitable for various car models.

The dangers of not changing the filter in time!!

Engine work requires the lubrication of oil. If the impurities in the oil are not filtered into the cylinder, the aging of the piston group and the cylinder will be accelerated.



Cylinder fray



Petrol blocked



Burn oil cylinder



Reduced engine power



Increased fuel consumption



Make noise

DO YOU NEED SUCH A FILTER ?

/ HANDLE ALL CHALLENGES WITH EASE /



Not easy to
deposit carbon



Slow wear



Protect the
cylinder



Reduce fuel
consumption

The function of the oil filter is to filter impurities, so it should be replaced at the same time as the oil. If it is not replaced in time, the oil will not be effectively filtered, which will lead to accelerated wear of the internal parts of the engine due to impurities in the oil.

WORKING PRINCIPLE :


Filter impurities, dirt, etc. in the oil, provide reliable lubricating oil for the engine, reduce wear, reduce wear and prolong engine life.



Oil filter

Product Structure :

- The shell uses 0.5MM electrolytic plate, which is durable and not easy to be damaged.
- Bypass valve and check valve design to ensure continuous supply of oil.
- Adhesive-filled double lock seam can withstand pressures up to 300 p.s.i
- Multi-directional sealing ring ensures that the oil seal does not leak and can be quickly disassembled.



- | | | | |
|----------|-------------------------------|------------------|----------|
| 1 Shell | 3 Bypass valve | 5 Rubber gasket | 7 Gasket |
| 2 Spring | 4 Filter paper+Metal Intranet | 6 Threaded cover | |

Use high-quality cellulose filter paper.

Long-term guarantee of oil clean



Bypass valve device design, keep the maintain oil supply stability.

Bypass valve :

It is ensured that the oil in many cases is supplied to the bypass valve in the following cases, so as to ensure that a sufficient amount of oil reaches the surface of the engine parts to reduce friction.

- Oil is viscous in cold start or low temperature conditions.
- Exceeds the replacement cycle and the filter element is severely blocked.

Check valve :

Prevents lubrication when the engine is shut down again the oil in the system is emptied to ensure that when the engine starts quickly supply oil when moving.



MASUMA FILTER SERIES

/ PROVIDE CLEANING SOLUTIONS /

Air filter

Cabin filter

Oil filter

Fuel filter



MASUMA

Note:

MASUMA auto parts covered more than 900,000 different OEM numbers, [here only show few parts.](#)
Pls Contact us to check more and details information for you.

Search For Car Brand Click)	Auto parts	Product List	Number of suitable car models	
For Japanes Car: For Toyota For Honda For Nissan For Mazda For Lexus For Infiniti For Mitsubishi For Suzuki For Subaru For DAIHATSU For ISUZU For Fuso	Auto Engine Systems	Air Filters	1215	
		Fuel Filters	255	
		Oil Filters	588	
		Spark Plugs	59	
		Engine Mounts	888	
		Ignition Coils	255	
		Ignition Cable	77	
		Timing Chain Kit	67	
		Cylinder Head Gaskets	223	
		Ball Joints	655	
		Control Arms	394	
		For Korean Car:		

For HYUNDAI		Rubber Bushing	685
For KIA		Shock Absorber Springs	153
	Auto Suspension Systems	Shock Absorbers	323
For Europe Car:		Stabilizer Links	453
For Benz		Suspension Strut Bearings	110
For BMW		Brake Pads	1966
For Audi		Brake Discs	825
For VW		Brake shoes	220
For Porsche		Brake Cables	216
For Skoda	Auto Brake Systems	Brake Hoses	707
For Renault		Tie Rod Ends	345
For Peugeot		Tie Rods (Rack End)	247
For Volvo		Steering Gear Boots	435
For Alfa Romeo		Steering Gears	60
For America Car:	Auto Steering Systems	Cabin Filters	736
For Ford		C.V. Joints	199
For OPEL	Air Conditioning Systems	C.V. Joint Boots	157
For Chevrolet		Tensioner & Belts	1043
	Auto Transmission Systems	Wheel Hubs	103
Other brand:		Antifreeze	4
For Land Rover		Brake Lubricants	2
For Jeep		Engine Lubricants	42
For Ssangyong	Fluid & Chemicals	Transmission Fluids	15
		Other Auto Parts	5074
		Tire Repair Tools	57
		Auto Fastener & Clip	1881
	Other Auto Parts	Lug Nuts & Accessories	233
		Other Vehicle Tools	15



MAIN CAR SERIES

Cover 90% Of JAPANESE And KOREA Cars



Corolla



Crown



Camry



Civic



Tiida



Accord



RX300



RAV4



Company Profile



[View more history >>](#)

MASUMA was founded in **1998 Japan**, integrates R&D, production, sales and operation as one. It has its own

wholly-owned subsidiary factory and joint venture production base in **GuangZhou China**, have an area of **30,000 sqm**, **500+ employees** in the company, the annual turnover to reach 55 million USD.

Masuma specializes in the design, development, manufacturing, sales and service of Japanese, German, American, Chinese and Korean auto parts. The current products include lubricating oil, transmission fluid, brake oil, brake pad, brake disc, filter, spark plug, ignition coil, ball joint, swing arm, shock absorber, belt, wiper, water tank cover and other series, over ten thousands of varieties, and products are sold to more than 100 countries and regions in the world.

MASUMA 1998

2011

Masuma

30,000

500

1

55



Manufacturing Technique



PRECISION

Automated machinery

100,000 pieces/day



TAKAMAZ-FEELER



BROTHER SPEEDIO



TOYO



Mitutoyo QC



NGATA



KAWATA

Exhibition

EXHIBITION



MASUMA Masuma (Guangzhou) International Trading Co., Ltd.

+8615323309608

msm@masuma.com

masumajp.com

No. 19, Liwu Road, Tanbu Town, Huadu District, Guangzhou