

Yes OE NO. 24102199 S102I MASUMA Auto Engine Systems Single Iridium Spark Plug for Fiat

Our Product Introduction

for more products please visit us on masumajp.com

Basic Information

- Place of Origin: Guangdong, China
- Brand Name: MASUMA
- Model Number: S102I
- Minimum Order Quantity: 4 pieces
- Price: Negotiation



Product Specification

- Condition: New
- Model: SPARK (M300), SAIL, 500 C (312_), PANDA (169_), 500 (312_)
- Engine: 1.2, 1.4, 1.4, 1.2, 1.2 4x4
- Year: 2009-, 2007-, 2003-, 2009-, 2010-2018, 2003-2009
- OE NO.: 24102199, 4560116440184
- Car Fitment: Fiat, Chevrolet
- Reference NO.: RA 4HCC, DCP 7E, DCPR 7E, 0 002 235 700, ZKR 7A-10, Z 291, DCPR 8EN, OE052, XU 22 PR9, Z 234, 12FR-5 DU, 12 FR-7 DU, V-LINE 42, DCPR 7E-N-10, DCPR 8EKC, RA 4HCX, XU 22 EPR-U
- Size: 8.7*9.9*2.6 Cm, 8.7*9.9*2.6 Cm
- Thread Size: M14 Mm
- Warranty: 18 Months, Warranty 12 Months Or 30 Thousand Kilometer



More Images



Product Description

Product Description

item	value:7
OE NO.	24102199,4560116440184
Size	Spanner size 16
Thread size	M14 mm
Warranty	18 months
Place of Origin	China
	Guangdong
Brand Name	MASUMA
Car Model	Japanese car
Product Name	Spark plug single iridium
MASUMA NO.	S102I
Warranty	Warranty 12 months or 30 thousand kilometer
Delivery time	7 days
In stock	Yes
Size	8.7*9.9*2.6 cm
Year	1990-2021
Product group name	Spark plug





Hard to switch on



Fuel consumption increasing



Short of power



Engine jitter



Unstable idling




Excessive exhaust

PLEASE SELECT THE SPARK PLUG CORRECTLY !!!

Spark plugs come in a variety of shapes .

Select the correct product from the application list





Masuma spark plug coding rules

Product Name	Print	Number
Copper Core	SC	S001C
Iridium	Iridium	S100I
Platinum	Platinum	S300P
Double Platinum	DP	S400DP
Iridium Platinum	IP	S500IP
Double Iridium	DI	S600DI

HIGH MATCHING BRING POWERFUL MOMENTUM




• Ultra fine 0.5 mm
Iridium gold
central electrode

- ✓ Increased Performance
- ✓ Improved Fuel Economy
- ✓ Reduced Emissions
- ✓ Extra Long Life

MASUMA

IGNITION PLUG

(SCHEMATIC DIAGRAM)



MASUMA

Note:

MASUMA auto parts covered more than 900,000 different OEM numbers, [here only show few parts.](#)
Pls Contact us to check more and details information for you.

Search For Car Brand (Click)	Auto parts	Product List	Number of suitable car models
For Japanes Car: For Toyota For Honda For Nissan For Mazda For Lexus For Infiniti For Mitsubishi For Suzuki For Subaru For DAIHATSU For ISUZU For Fuso	Auto Engine Systems	Air Filters	1215
		Fuel Filters	255
		Oil Filters	588
		Spark Plugs	59
		Engine Mounts	888
		Ignition Coils	255
		Ignition Cable	77
		Timing Chain Kit	67

		Cylinder Head Gaskets	223
		Ball Joints	655
For Korean Car:		Control Arms	394
For HYUNDAI		Rubber Bushing	685
For KIA		Shock Absorber Springs	153
		Shock Absorbers	323
For Europe Car:	Auto Suspension Systems	Stabilizer Links	453
For Benz		Suspension Strut	110
For BMW		Bearings	
For Audi		Brake Pads	1966
For VW		Brake Discs	825
For Porsche		Brake shoes	220
For Skoda			
For Renault			
For Peugeot			
For Volvo	Auto Brake Systems	Brake Cables	216
For Alfa Romeo		Brake Hoses	707
		Tie Rod Ends	345
For America Car:		Tie Rods (Rack End)	247
For Ford	Auto Steering Systems	Steering Gear Boots	435
For OPEL		Steering Gears	60
For Chevrolet			
	Air Conditioning Systems	Cabin Filters	736
		C.V. Joints	199
Other brand:		C.V. Joint Boots	157
For Land Rover	Auto Transmission Systems	Tensioner & Belts	1043
For Jeep		Wheel Hubs	103
For Ssangyong		Antifreeze	4
		Brake Lubricants	2
	Fluid & Chemicals	Engine Lubricants	42
		Transmission Fluids	15
		Other Auto Parts	5074
		Tire Repair Tools	57
		Auto Fastener & Clip	1881
	Other Auto Parts	Lug Nuts & Accessories	233
		Other Vehicle Tools	15

MASUMA

MAIN CAR SERIES

Cover 90% Of JAPANESE And KOREA Cars



Corolla



Crown



Camry



Civic



Tiida



Accord



RX300



RAV4



Golf



Passo



HR-V



Fortuner



Yaris



Avanza



Land Cruiser



Pajero(Montero)



Mirage



Stream



Hilux



CR-V



Legacy



Fit (jazz)



HiAce



X-Trail



Primera



Cedric



Mazda 3



Mazda 6



Prius



City



Impreza



Focus

MASUMA
AUTO SPARE PARTS

Directly supplied by
International
Famous brand's factories

MASUMA
AUTO SPARE PARTS

**20 YEARS MANUFACTURE
FOR AUTO SPARE PARTS**



No.	MASUMA No.	Image	NGK Number	Thread diameter (mm)	Bi-Hex dimension (mm)	Thread length (mm)	Electro de gap	Heat value	Materials	Recommended Tightening Torque	Regular Interval	Price
1	S001C		LZKR6B-10E (1578)	M 12 x 1.25R	16	26.5	0.85-1.05	6	Copper-Nickel	15 ~ 20N m (1.5 ~ 2.0kgm)	Max 30,000 km	

2	S002C		LZKAR7A (6799)	M 12 x 1.25R	14	26.5	0.7-0.9	7	Nickel alloy/Copper	15 ~ 20N·m(1.5 ~ 2.0kgm)	Max. 30,000 km	
3	S003C		ZKER8A-10EG (96596)	M 12 x 1.25	14	26.5	0.85-1.05	7	Nickel alloy/Copper	15 ~ 20N·m(1.5 ~ 2.0kgm)	Max. 30,000 km	
4	S100I		BKR5EK-11	M 14 x 1.25	16	19	0.9-1.1	5	Iridium	25 ~ 30N·m(2.5 ~ 3.0kgm)	Max. 30,000 km	
5	S101I		BKR6EK-11(3784)	M 14 x 1.25	16	19	0.9-1.1	6	Iridium	25 ~ 30N·m(2.5 ~ 3.0kgm)	Max. 30,000 km	
6	S102I		DCPR7EK (3144)	M 12 x 1.25	16	19	0.7-0.9	7	Iridium	15 ~ 20N·m(1.5 ~ 2.0kgm)	Max. 30,000 km	
7	S104I		ZFR5P-G	M 14 x 1.25	16	22	0.7-0.9	5	Iridium	25 ~ 30N·m(2.5 ~ 3.0kgm)	Max. 30,000 km	
8	S105I		ZFR6V-G	M 14 x 1.25	16	19	0.8-1.0	6	Iridium	25 ~ 30N·m(2.5 ~ 3.0kgm)	Max. 30,000 km	
9	S107I		LKR8G4-8 (95079)	M 12 x 1.25	16	26.5	0.7-0.8	8	Iridium	15 ~ 20N·m(1.5 ~ 2.0kgm)	Max. 30,000 km	
10	S108I		LTR6A1-9 (96780)	M 14 x 1.25	16	25	0.8-1.0	6	Iridium	10 ~ 20N·m(1.0 ~ 2.0kgm)	Max. 30,000 km	
11	S200I		LFR5AX-11	M 14 x 1.25	16	26.5	0.9-1.1	5	Iridium	25 ~ 30N·m(2.5 ~ 3.0kgm)	Max. 30,000 km	
12	S201I		LFR6AX-11	M 14 x 1.25	16	26.5	0.9-1.1	6	Iridium	25 ~ 30N·m(2.5 ~ 3.0kgm)	Max. 30,000 km	
13	S300P		ZFR5EGP (7096)	M 14 x 1.25	16	22	0.8-1	5	Platinum	25 ~ 30N·m(2.5 ~ 3.0kgm)	Max. 30,000 km	
14	S301P		LFR5AGP (5018)	M 14 x 1.25	16	26.5	0.85-1.05	5	Platinum	25 ~ 30N·m(2.5 ~ 3.0kgm)	Max. 30,000 km	
15	S302P		LZKAR6AP-11	M 12 x 1.25	14	26.5	0.9-1.1	6	Platinum	15 ~ 20N·m(1.5 ~ 2.0kgm)	Max. 30,000 km	
16	S400DP		PFR7S8EG (1675)	M 14 x 1.25	16	19	0.7-0.8	7	Double Platinum	25 ~ 30N·m(2.5 ~ 3.0kgm)	Max. 30,000 km	
17	S401DP		PKER7A8EGS	M 12 x 1.25	16	20.5	0.7-0.8	7	Double Platinum	15 ~ 20N·m(1.5 ~ 2.0kgm)	Max. 30,000 km	
18	S403DP		PLZFR6A-11S	M 14 x 1.25	16	26.5	0.9-1.1	6	Double Platinum	25 ~ 30N·m(2.5 ~ 3.0kgm)	Max. 30,000 km	
19	S404DP		PZFR6R	M 14 x 1.25	16	21.5	0.75-0.85	6	Double Platinum	25 ~ 30N·m(2.5 ~ 3.0kgm)	Max. 30,000 km	
20	S405DP		PFR6X-11 (5757)	M 14 x 1.25	16	19	0.9-1.1	6	Double Platinum	25 ~ 30N·m(2.5 ~ 3.0kgm)	Max. 30,000 km	

										3.0kgm	mm	
21	S406DP		DOLFR7K9G	M14 x 1.25	16	26.5	0.8-0.95	5	Double Platinum	Starting torque : 25Nm	Max. 30,000 km	
22	S500IP		QFR6K11 (6994)	M14 x 1.25	16	20.5	0.9-1.1	6	Iridium Platinum	25 ~ 30N·m(2.5 ~ 3.0kgm)	Max. 30,000 km	
23	S512IP		PLFR5A-11	M14 x 1.25	16	26.5	0.9-1.1	5	Iridium Platinum	25 ~ 30N·m(2.5 ~ 3.0kgm)	Max. 30,000 km	
24	S501IP		ILTR6E11 (90117)	M14 x 1.25	16	25	0.9-1.1	6	Iridium Platinum	10 ~ 20N·m(1.0 ~ 2.0kgm)	Max. 30,000 km	
25	S502IP		ILKAR7B11 (4912)	M12 x 1.25	14	26.5	0.9-1.1	7	Iridium Platinum	15 ~ 20N·m(1.5 ~ 2.0kgm)	Max. 30,000 km	
26	S503IP		ILTR6G8G (96621)	M14 x 1.25	16	25	0.7-0.8	6	Iridium Platinum	10 ~ 20N·m(1.0 ~ 2.0kgm)	Max. 30,000 km	
27	S504IP		ILZNR8A7G (91924)	M12 x 1.25	14	26.5	0.65-0.75	8	Iridium Platinum	10 ~ 20N·m(1.0 ~ 2.0kgm)	Max. 30,000 km	
28	S505IP		ILTR5D (5476)	M14 x 1.25	16	25	0.7-0.9	5	Iridium Platinum	10 ~ 20N·m(1.0 ~ 2.0kgm)	Max. 30,000 km	
29	S506IP		ILZKR7B8DG (95770)	M12 x 1.25	14	26.5	0.7-0.8	7	Iridium Platinum	Starting torque : 23Nm	Max. 30,000 km	
30	S507IP		SILZKFR8D7S (95875)	M12 x 1.25	14	27	0.6-0.7	8	Iridium Platinum	15 ~ 20N·m(1.5 ~ 2.0kgm)	Max. 30,000 km	
31	S508IP		PFR6S8EG (94460)	M14 x 1.25	16	19	0.7-0.8	8	Iridium Platinum	25 ~ 30N·m(2.5 ~ 3.0kgm)	Max. 30,000 km	
32	S510IP		ILTR5A-13G (3811)	M14 x 1.25	16	25	1.1-1.3	5	Iridium Platinum	10 ~ 20N·m(1.0 ~ 2.0kgm)	Max. 30,000 km	
33	S511IP		ITR6F13 (4477)	M14 x 1.25	16	17.5	1.1-1.3	6	Iridium Platinum	10 ~ 20N·m(1.0 ~ 2.0kgm)	Max. 30,000 km	
34	S509IP		SILZKR6B10E (93815)	M12 x 1.25	16	26.5	0.85-1.05	6	Iridium Platinum	15 ~ 20N·m(1.5 ~ 2.0kgm)	Max. 30,000 km	
35	S513IP		ILZKR7B11S (5787)	M12 x 1.25	16	28	0.9-1.1	7	Iridium Platinum	15 ~ 20N·m(1.5 ~ 2.0kgm)	Max. 30,000 km	
36	S514IP		LKAR7C18 (91654)	M12 x 1.25	14	26.5	0.7-0.8	8	Iridium Platinum	15 ~ 20N·m(1.5 ~ 2.0kgm)	Max. 30,000 km	
												

Company Profile



[View more history >>](#)

MASUMA was founded in **1998 Japan**, integrates R&D, production, sales and operation as one. It has its own wholly-owned subsidiary factory and joint venture production base in **GuangZhou China**, have an area of **30,000 sqm**, **500+ employees** in the company, the annual turnover to reach 55 million USD. Masuma specializes in the design, development, manufacturing, sales and service of Japanese, German, American, Chinese and Korean auto parts. The current products include lubricating oil, transmission fluid, brake oil, brake pad, brake disc, filter, spark plug, ignition coil, ball joint, swing arm, shock absorber, belt, wiper, water tank cover and other series, over ten thousands of varieties, and products are sold to more than 100 countries and regions in the world.

MASUMA	1998			1
2011		30,000	500	55
Masuma				
	100			



Manufacturing Technique



PRECISION

Automated machinery

100,000 pieces/day



TAKAMAZ-FEELER



BROTHER SPEEDIO



TOYO



Mitutoyo QC



NGATA



KAWATA

Exhibition

EXHIBITION



MASUMA Masuma (Guangzhou) International Trading Co., Ltd.

+8615323309608

msm@masuma.com

masumajp.com

No. 19, Liwu Road, Tanbu Town, Huadu District, Guangzhou