

Shock Absorbers for HONDA HRV 51605-S2H-014 51605-S2H-034 51605-S2H-G02 51605-S2H-G51

Basic Information

• Place of Origin: Guangdong, China

Brand Name: MASUMA
Minimum Order Quantity: 2 pieces
Price: Negotiation



Product Specification

Purpose: For Replace/repair

Model: HR-V, HR-V (GH), COROLLA, Toyoace,

Tercel, Quick Delivery, CROWN, CORSA,

Dyna, HILUX

• Year: 1999-2001, 1999-2004, 1999-2006, 1999-

1999, 1999-2016, 1994-1999, 1990-1991, 1988-1989, 2003-2007, 2002-2007, 2004-2007, 2005-2007, 2001-2003, 1990-1991, 1991-1992, 1999-, 2003-2006, 2004-2006,

1993-1995, 1998-2006

• OE NO.: 51605-S2H-014, 51605-S2H-034, 51605-

S2H-G02, 51605-S2H-G51, 334243, 51605-S2H-G03, 51605S2H014, 51605S2H034,

51605S2HG02, 51605S2HG51,

51605S2HG03

Car Fitment: HONDA, Toyota

• Reference NO.: 203433, AM5728, 313880, 2343G,

062240GRB, 339124

• Warranty: 12 Months, Warranty 12 Months Or 30

MASUMA	Brand	Car model	Chassis number		Configuration
G6264	HONDA	HR-V	GH1	1998-1999	GF-GH1. D16A. 2WD
G6264	HONDA	HR-V	GH2	1998-2001	GF-GH2: D16A: 4WD
G6264	HONDA	HR-V	CH2	2001-2003	LA-GH2 D16A 4WD
G6264	HONDA	HR-V	GH4	1999-2001	GF-GH4: D16A: 4WD
G6264	HONDA	HR-V	GH4	2001-2004	LA-GH4 D16A 4WD
G6264	HONDA	HR-V	GH4	2004-2006	ABA-GH4. D16A. 4WD
G6264	HONDA	HR-V	1600cc, KG, HR-V HYPER, D16W5, 4WD	2000-2000	D16W5, 1600cc, KG, HR-V HYPER, D16W5 4WD
G6264	HONDA	HR-V	1600cc, KG, HR-V HYPER, D16W5, 4WD	2001-2001	D16W5, 1600cc, KG, HR-V HYPER, D16W5 4WD
G6264	HONDA	HR-V	1600cc, KG, HR-V HYPER, D16W5, 4WD	2002-2002	D16W5, 1600cc, KG, HR-V HYPER, D16W5
G6264	HONDA	HR-V	1600cc, KG, HR-V HYPER, D16W5, 4WD	2003-2003	D16W5, 1600cc, KG, HR-V HYPER, D16W5
G6264	HONDA	HR-V	1600cc, KG, HR-V HYPER, D16W5, 4WD	2004-2004	D16W5, 1600cc, KG, HR-V HYPER, D16W5
G6264	HONDA	HR-V	1600cc, KG, HR-V.	1999-1999	D16W1, 1600cc, KG, HR-V, D16W1,
G6264	HONDA	HR-V	1600cc, KG, HR-V. D16W1.	2000-2000	D16W1, 1600cc, KG, HR-V, D16W1,
G6264	HONDA	HR-V	1600cc, KG, HR-V, D16W1	2001-2001	D16W1, 1600cc, KG, HR-V, D16W1,
G6264	HONDA	HR-V	1600cc, KG, HR-V.	2002-2002	D16W1, 1600cc, KG, HR-V, D16W1,
G6264	HONDA	HR-V	1600cc, KG, HR-V. D16W1.	2003-2003	D16W1, 1600cc, KG, HR-V, D16W1,
G6264	HONDA	HR-V	1600cc, KG, HR-V. D16W1.	2004-2004	D16W1, 1600cc, KG, HR-V, D16W1,
G6264	HONDA	HR-V	1600cc, KG, HR-V, D16W1, 4WD	1999-1999	D16W1, 1600cc, KG, HR-V, D16W1, 4WD
G6264	HONDA	HR-V	1600cc, KG, HR-V, D16W1, 4WD	2000-2000	D16W1, 1600cc, KG, HR-V, D16W1, 4WD
G6264	HONDA	HR-V	1600cc, KG, HR-V, D16W1, 4WD	2001-2001	D16W1, 1600cc, KG, HR-V, D16W1, 4WD
06264	HONDA	HR-V	1600cc, KG, HR-V. D16W1, 4WD	2002-2002	D16W1, 1600cc, KG, HR-V, D16W1, 4WD
G6264	HONDA	HR-V	1600cc, KG, HR-V. D16W1, 4WD	2003-2003	D16W1, 1600cc, KG, HR-V, D16W1, 4WD
G6264	HONDA	HR-V	1600cc KG HR-V. D16W1, 4WD	2004-2004	D16W1, 1600cc, KG, HR-V, D16W1, 4WD
G6264	HONDA	HR-V	1600cc, KG, HR-V. D16W1, 4WD	2005-2005	D16W1, 1600cc, KG, HR-V, D16W1, 4WD

More Images







	28-76-607 (1884) 1-76-76-76-76-76-76-76-76-76-76-76-76-76-	Detachment of Struct. Assembly **Invalidation and to assisting the recom- point the old space. On the recom- **Invalidation and the space of the space. **Invalidation and the sp
カートリッジとの文章 RE	PLACEMENT WITH CA	RTRIDGE
1	A Made of Case (Case) Case (Ca	Out and from the shall date opening their the state (\$\frac{1}{2}\$) is the state of the sta
J. g.	A TOTAL COMMENTAL OF THE PARTY	After the government of 0.11 I what the gold believe are of the statement but for other than the gold believe that the statement but for other gives gold as the gold believe to the statement believe to the gold believe to the
400	**************************************	or made it is to be a second or a second o
	Control of the Contro	Observe the respective seath self-terming temps a specified light sects both and hot, the sure not to design the servicipe. Suppose the partier rick is that by amend using the samiting assembling process, the channel self-terminal grows and channel self-terminal grows. The sure is taken out or from that braids and to the service label to the train.



Product Description

MASUMA

G6264

No.

Suspension shock absorber

Part Name OEM No.

334243,51605-S2H-014,51605-S2H-034,51605-S2H-G02,51605-S2H-G03,51605-S2H-G51

Maintenance

Warranty 12 months or 30 thousand kilometer

In stock

Contact for inventory


Masuma shocks are manufactured to original OEM specifications. Masuma struts and shock absorbers are not tuning, but a quality replacement for original parts with additional improvements. The stems of Masuma shock absorbers have micronotches that help lubricate the stem packing. This extends the life of the oil seal and the entire shock absorber. Shock absorbers are guaranteed for 12 months. Wherever you bought or installed a part, within a year you have the right to return it by simply providing him with a receipt or other document confirming the purchase date and price. Even if you are not a certified auto mechanic and installed the part yourself in your garage, just keep your purchase receipt and, if a problem arises, you can always return the part. Masuma is a global brand of auto parts, components and consumables. The main specialization of the brand: resource parts for post-warranty service of Japanese cars. The company's strategy is to offer consumers the best ratio of reliability and cost of spare parts.


SUITABLE FOR CAR MODELS DETAILS					
MASUMA	Brand	Car model	Chassis number	Year	Configuration
G6264	HONDA	HR-V	1600cc. KG. HR-V HYPER. D16W5. 4WD	2000-2000	D16W5, 1600cc, KG, HR-V HYPER, D16W5, 4WD
G6264	HONDA	HR-V	1600cc. KG. HR-V HYPER. D16W5. 4WD	2001-2001	D16W5. 1600cc. KG. HR-V HYPER. D16W5. 4WD
G6264	HONDA	HR-V	1600cc. KG. HR-V HYPER. D16W5. 4WD	2002-2002	D16W5. 1600cc. KG. HR-V HYPER. D16W5. 4WD
G6264	HONDA	HR-V	1600cc. KG. HR-V HYPER D16W5, 4WD	2003-2003	D16W5, 1600cc, KG, HR-V HYPER, D16W5, 4WD
G6264	HONDA	HR-V	1600cc. KG. HR-V HYPER. D16W5. 4WD	2004-2004	D16W5, 1600cc, KG, HR-V HYPER, D16W5, 4WD
G6264	HONDA	HR-V	1600cc. KG. HR-V. D16W1, 4WD	1999-1999	D16W1. 1600cc. KG. HR-V. D16W1. 4WD
G6264	HONDA	HR-V	1600cc. KG. HR-V. D16W1. 4WD	2000-2000	D16W1. 1600cc. KG. HR-V. D16W1. 4WD
G6264	HONDA	HR-V	1600cc. KG. HR-V. D16W1, 4WD	2001-2001	D16W1, 1600cc, KG, HR-V, D16W1, 4WD
G6264	HONDA	HR-V	1600cc. KG. HR-V. D16W1, 4WD	2002-2002	D16W1. 1600cc. KG. HR-V. D16W1. 4WD
G6264	HONDA	HR-V	1600cc. KG. HR-V. D16W1, 4WD	2003-2003	D16W1. 1600cc. KG. HR-V. D16W1. 4WD
G6264	HONDA	HR-V	1600cc. KG. HR-V. D16W1, 4WD	2004-2004	D16W1. 1600cc. KG. HR-V. D16W1. 4WD
G6264	HONDA	HR-V	1600cc. KG. HR-V. D16W1, 4WD	2005-2005	D16W1, 1600cc, KG, HR-V, D16W1, 4WD
G6264	HONDA	HR-V	1600cc. KG. HR-V. D16W1.	1999-1999	D16W1. 1600cc. KG. HR-V. D16W1.
G6264	HONDA	HR-V	1600cc. KG. HR-V. D16W1.	2000-2000	D16W1. 1600cc. KG. HR-V. D16W1.
G6264	HONDA	HR-V	1600cc. KG. HR-V. D16W1.	2001-2001	D16W1. 1600cc. KG. HR-V. D16W1.
G6264	HONDA	HR-V	1600cc. KG. HR-V. D16W1.	2002-2002	D16W1. 1600cc. KG. HR-V. D16W1.
G6264	HONDA	HR-V	1600cc. KG. HR-V. D16W1.	2003-2003	D16W1. 1600cc. KG. HR-V. D16W1.
G6264	HONDA	HR-V	1600cc. KG. HR-V. D16W1.	2004-2004	D16W1. 1600cc. KG. HR-V. D16W1.
G6264	HONDA	HR-V	GH4	2004-2006	ABA-GH4. D16A. 4WD
G6264	HONDA	HR-V	GH1	1998-1999	GF-GH1. D16A. 2WD
G6264	HONDA	HR-V	GH2	1998-2001	GF-GH2. D16A. 4WD
CESEA	HONDA	ND //	CHO	2004 2002	LA CHO DIEA MAID

Contact Supplier send an enquiry to confirm suitable car












It can restrain the vibration of spring and absorb the energy of road bump arfluence. It not only affects the riding comfort, but also affects the driving safety, and may cause the damage of

The shock absorber is a part need to uplace regularly and the service He is award SEOOS by Level the of occe deboter in not crosses in distance because the shorter has been worned that is, it is independent to uplace whether the discolation has demanded that the product observations of the crosses of the product observations of the crosses of the product observations of the crosses of the shock deboter here the product observations of the crosses of the shock deboters need to elected states of the various residues and the crosses that the crosses of the various hashing and the cross that the

How to check if the shock absorber needs to be replaced?

- Province heat with the book listened or of press float part of the own, then release bonds. If the which stops after rebunds in 2-3 as seconds, shock elsender is reparted as to be replacement needed & When sudderly brake the care at low speed, the care shakes visited by When sudderly brake the care at low speed, the care shakes when yeard the human body feets uncomfortable, shock elsenter is highly probably broken.
- The cer stops after driving about 10km on the road with poor conditions, if you don't feel any temperature even cold by hand touch the housing of shock absorber that is to say, shock obsorber is not working normal due to no resistance internal itself.





Stable Driving



No Oil Leaking



Anti-shaking



Noise Free




High Temperature Endurance




Long Lasting



Are you worried about the quality?







Less Noise And More Comfortable !!

Quiet design only for your comfortable experience









Reinstall in Situ Fit Perfectly





MASUMA

Note:

MASUMA auto parts covered more than 900,000 different OEM numbers, <u>here only show few parts.</u> Pls Contact us to check more and details information for you.

Search For Car Brand Click)	Auto parts	Product List	Number of suitable car models
		Air Filters	1215
For Japanes Car:		Fuel Filters	255
For Toyota For Honda For Nissan		Oil Filters	588
For Mazda		Spark Plugs	59
For Lexus For Infiniti		Engine Mounts	888
For Mitsubishi For Suzuki For Subaru	Auto Engine Systems	Ignition Coils	255
For DAIHATSU		Ignition Cable	77
For ISUZU For Fuso		Timing Chain Kit	67

		Cylinder Head Gaskets	223
		Ball Joints	655
For Korean Car:		Control Arms	394
For HYUNDAI For KIA		Rubber Bushing	685
T OF TAIL		Shock Absorber Springs	153
	Auto Cuononcian Cyctoma	Shock Absorbers	323
For Europe Car:	Auto Suspension Systems	Stabilizer Links	453
For Benz For BMW		Suspension Strut Bearings	110
For Audi For VW		Brake Pads	1966
For Porsche For Skoda		Brake Discs	825
For Renault For Peugeot		Brake shoes	220
For Volvo For Alfa Romeo	Auto Brake Systems	Brake Cables	216
		Brake Hoses	707
		Tie Rod Ends	345
For America Car:		Tie Rods (Rack End)	247
For Ford For OPEL	Auto Steering Systems Air Conditioning Systems	Steering Gear Boots	435
For Chevrolet		Steering Gears	60
		Cabin Filters	736
Other burnels		C.V. Joints	199
Other brand:		C.V. Joint Boots	157
For Land Rover For Jeep	Auto Transmission Systems	Tensioner & Belts	1043
For Ssangyong	.,	Wheel Hubs	103
		Antifreeze	4
		Brake Lubricants	2
	Fluid & Chemicals	Engine Lubricants	42
		Transmission Fluids	15
		Other Auto Parts	5074
		Tire Repair Tools	57
		Auto Fastener & Clip	1881
	Other Auto Parts	Lug Nuts & Accessories	233
		Other Vehicle Tools	15



Cover 90% Of JAPANESE And KOREA Cars



Crown

















































Fit (jazz)



X-Trail

















City

Impreza

Focus



MASUMA was founded in 1998 Japan, integrates R&D, production, sales and operation as one. It has its

wholly-owned subsidiary factory and joint venture production base in Guang Zhou China, have an area of 30,000 sqm, 500+ employees in the company, the annual turnover to reach 55 million USD. Masuma specializes in the design, development, manufacturing, sales and service of Japanese, German, American, Chinese and Korean auto parts. The current products include lubricating oil, transmission fluid, brake oil, brake pad, brake disc, filter, spark plug, ignition coil, ball joint, swing arm, shock absorber, belt, wiper, water tank cover and other series, over ten thousands of varieties, and products are sold to more than 100 countries and regions in the world.

MASUMA 1998 30,000 500 55 2011 Masuma



Manufacturing Technique



PRECISION

Automated machinery

100,000 pieces/day









TAKAMAZ-FEELER

BROTHER SPEEDIO

TOYO







Exhibition



MASUMA Masuma (Guangzhou) International Trading Co., Ltd.

+8615323309608



msm@masuma.com



masumajp.com